# Linksys Kit Broadband Router with USB Adapter

# ict factory.com

Code: WIRLS1944350 Vendor code: WKUSB160N-EU EAN code: 4260039349303

### Wireless-N Starter Kit (WRT160N +WUSB600N)

The Ultra RangePlus Wireless-N Broadband Router is really three devices in one box. First, there's the Wireless Access Point, which lets you connect to the network without wires. There's also a built-in 4-port full-duplex 10/100 Switch to connect your wired-Ethernet devices together. Finally, the Router function ties it all together and lets your whole network share a high-speed cable or DSL Internet connection.

The Access Point built into the Router uses the very latest wireless networking technology: Wireless-N (draft 802.11n). By overlaying the signals of multiple radios, Wireless-N's "Multiple In, Multiple Out" (MIMO) technology multiplies the effective data rate. Unlike ordinary wireless networking technologies that are confused by signal reflections, MIMO actually uses these reflections to increase the range and reduce "dead spots" in the wireless coverage area. The robust signal travels farther, maintaining wireless connections much farther than standard Wireless-G.

With Wireless-N, the farther away you are, the more speed advantage you get. It works great with standard Wireless-G and -B equipment, but when both ends of the wireless link are Wireless-N, the router can increase the throughput even more by using twice as much radio band, yielding speeds far faster than standard Wireless-G. But unlike other speed-enhanced technologies, Wireless-N can dynamically enable this double-speed mode for Wireless-N devices, while still connecting to other wireless devices at their respective fastest speeds. In congested areas, the "good neighbor" mode ensures that the Router checks for other wireless devices in the area before gobbling up the radio band.

To help protect your data and privacy, the Router can encode all wireless transmissions with industrial-strength 256bit encryption. It can serve as your network's DHCP Server, has a powerful SPI firewall to protect your PCs against intruders and most known Internet attacks, and supports VPN pass-through. Configuration is a snap with the web browser-based configuration utility.

The incredible speed of Wireless-N makes it ideal for media-centric applications like streaming video, gaming, and Voice over IP telephony, and gives you plenty of headroom to run multiple media-intense data streams through the network at the same time, with no degradation in performance. With the Linksys Wireless-N Broadband Router at the center of your home or office network, you can share a high-speed Internet connection, files, printers, and multiplayer games, and run media-intensive applications at incredible speeds, without the hassle of stringing wires!

### Antenne

Antennas quantity	2
Beheerfuncties	
Universal Plug and Play (UPnP)	Ja
Beveiliging	
Ondersteunde beveiligingsalgoritmen	WEP, WPA
Design	
Indicatielampje	Ja
LED-indicatoren	Ja
Eisen aan de omgeving	
Luchtvochtigheid bij opslag	5 - 90 procent
Luchtvochtigheid bij opslag Relatieve luchtvochtigheid, in bedrijf	5 - 90 procent 10 - 85 procent
	-
Relatieve lucht vochtigheid, in bedrijf	10 - 85 procent
Relatieve lucht vochtigheid, in bedrijf Temperatuur bij opslag	10 - 85 procent -20 - 60 °C
Relatieve luchtvochtigheid, in bedrijf Temperatuur bij opslag Temperatuur, in bedrijf	10 - 85 procent -20 - 60 °C
Relatieve luchtvochtigheid, in bedrijf Temperatuur bij opslag Temperatuur, in bedrijf Ethernet LAN-eigenschappen	10 - 85 procent -20 - 60 °C 0 - 40 °C
Relatieve luchtvochtigheid, in bedrijf Temperatuur bij opslag Temperatuur, in bedrijf Ethernet LAN-eigenschappen Ethernet LAN	10 - 85 procent -20 - 60 °C 0 - 40 °C
Relatieve luchtvochtigheid, in bedrijf         Temperatuur bij opslag         Temperatuur, in bedrijf         Ethernet LAN-eigenschappen         Ethernet LAN         Gewicht en omvang	10 - 85 procent -20 - 60 °C 0 - 40 °C Ja
Relatieve lucht vochtigheid, in bedrijf   Temperatuur bij opslag   Temperatuur, in bedrijf   Ethernet LAN-eigenschappen   Ethernet LAN   Gewicht en omvang   Gewicht	10 - 85 procent -20 - 60 °C 0 - 40 °C Ja

## Netwerk

ISDN-aanshuiting	Næ
Overige specificaties	
Afmetingen (BxDxH)	202 x 160 x 34 mm
Compatibele besturingssystemen	Windows XP, Windows Vista
Stroomvoorziening	12V, 1A
xDSL-verbinding	Nee
Poorten & interfaces	
Aansluiting voor netstroomadapter	Ja
Aantal Ethernet LAN (RJ-45)-poorten	4