Be Quiet! CPU Cooler Dark Rock PRO 4

Code:	**Vendor code**:	**EAN code**:
COOBTBK022	BK022	4260052186268

Dark Rock Pro 4, Silent Wings 3 120mm PWM + Silent Wings 135mm PWM, 250W TDP, 1500/1200 RPM, FDB, 1.13 kg
Dark Rock is the high-end series of the be quiet! range of CPU coolers. It comprises double-tower, single-tower and top-flow cooler designs. They all offer incredible performance-to-noise ratios and the highest reliability available with absolutely no compromise in silence and performance. Dark Rock coolers are virtually inaudible and place the famous be quiet! SilentWings® technology at the heart of your PC. They are excellent for overclocked systems and demanding multi-graphics platforms.

No Compromise Silence and Performance

Dark Rock Pro 4 offers immense cooling performance of 250W TDP and virtually inaudible operation. Excellent for overclocked systems and demanding workstations.- Two Silent Wings PWM fans feature advanced fluid-dynamic bearings and smooth 6-pole motors- Funnel-shaped frame of the front Silent Wings 3 fan provides extremely high air pressure- Achieves only 24.3dB(A) at maximum fan speed- Seven high-performance copper heat pipes provide maximal heat conductance- Wave-contoured cooling fins for increased air circulation- Cutouts on the cooling fins enhance the RAM compatibility- Special black coating with ceramic particles enables perfect heat transfer- Supports an additional 120mm fan; clips are included in scope of delivery- Easily installable black installation kit can be mounted from above- Elegant, brushed aluminum top cover with diamond cut finish- 3-year manufacturer’s warranty- German product conception, design and quality control

Design

Kleur van het product	Zwart
Lengte snoer	0,22 m
Materiaal	Koper
RoHS compliance	Ja

Energie

Netvoeding	1,92 W
Nominale netspanning	0,16 A
Spanningclassificatie	12 V

Gewicht en omvang

Breedte	136 mm
Breedte verpakking	205 mm
Diepte	162,8 mm
Diepte verpakking	181 mm
Gewicht	1,13 kg
Gewicht verpakking	1,39 kg
Hoogte	123,7 mm
Hoogte verpakking	212 mm
Maten ventilator (b x d x h)	135 x 135 x 22 mm

Inhoud van de verpakking

Inclusief schroeven	Ja

Prestatie

Aantal ventilatoren	2 ventilator(en)
Aantal vinnen	90
Aantal warmte pijpen	7
Extra ventilator ondersteund	Ja
Geluidsniveau (hoge snelheid	24,3 dB
Geluidsniveau (lage snelheid)	12,8 dB
Geschikt voor	Processor
Materiaal vinnen	Aluminium
Pulsbreedtemodulatie-ondersteuning	Ja
Rotatiesnelheid (max)	1500 RPM
Soort	Koeler
Supported processor sockets	LGA 1150 (Socket H3), LGA 1151 (Socket H4), LGA 1155 (Socket H2), LGA 1156 (Socket H), LGA 1366 (Socket B), LGA 2011 (Socket R), LGA 2011-v3 (Socket R), LGA 2066, Socket AM2, Socket AM2+, Socket AM3, Socket AM3+, Socket AM4, Socket FM1, Socket FM2, Socket FM2+
Thermal Design Power (TDP)	250 W

Type lager	Fluid dynamic bearing (FDB)
Ventilator diameter	120/135
Warmte pijpen diameter	6 mm

Technische details

Fan connector	4-pin