# **TP-Link 5 Port Gigabit Easy Smart Switch**



 Code:
 Vendor code:
 EAN code:

 SWITP2781095
 TL-SG105E
 6935364022037

5-Port Gigabit Easy Smart Switch

#### What This Product Does

The TL-SG105E 5-Port Gigabit Easy Smart switch is an ideal upgrade from an unmanaged switch, designed for Small and Medium Business networks that require simple network management. Network administrators can effectively monitor traffic via Port Mirroring, Loop Prevention and Cable Diagnostics features. To optimize traffic on your business network, TL-SG105E offers both port and tag based QoS to keep latency-sensitive traffic moving smoothly and jitter-free. Additionally, port-based, tag-based and MTU VLAN can improve security and meet more network segmentation requirements. Moreover, with its innovative energy-efficient technology, the TL-SG105E can save up to 75% of power consumption, making it an eco-friendly solution for your business network.

## Simple & Effective Management

TP-LINK's Gigabit Easy Smart switch, TL-SG105E offers network monitoring for users to observe traffic behavior. With Port Mirroring, Loop Prevention and Cable Diagnostics features, TL-SG105E can identify and even locate connection problems on your business network. Moreover, administrators can designate the priority of the traffic based on Port Priority and 802.1P Priority, to ensure that voice and video are always clear, smooth and lag-free. Additionally, to improve security and network performance, TL-SG105E supports MTU VLAN, port-based VLAN and 802.1Q-based VLAN functions. TL-SG105E is an upgrade from the plug-and-play Unmanaged Switch, delivering great value while empowering your network and similarly delivering great value to the end user.

#### Go Green with Your Ethernet

You now have the choice to go green when upgrading to a gigabit network! This new generation of TL-SG105E 5-Port Gigabit Easy Smart Switch features the latest energy-efficient technologies that can greatly expand your network's capacity with much less power. It automatically adjusts power consumption according to the link status

and cable length to limit the carbon footprint of your network.

### Power down Idle Ports

When a computer or network equipment is off, the corresponding port of a traditional switch will continue to consume considerable amounts of power. The TL-SG105E can automatically detect the link status of each port and reduce the power consumption of ports that are idle. Power Budget According to Cable LengthIdeally, shorter cables would use less power with less power degradation over their length; this is not the case with most devices as they will use the same amount of power across the cable regardless of whether it is 10 or 50 meters in length. The TL-SG105E analyzes the length of the Ethernet cable connected and adjusts the power usage accordingly, rather than keeping the power consumption in a conventional solution.

#### Ease of Use

TL-SG105E is easy to use and manage. Auto MDI/MDI-X crossover on all ports eliminate the need for crossover cables or uplink ports. Auto-negotiation on each port senses the link speed of a network device (either 10, 100, or 1000 Mbps) and intelligently adjusts for compatibility and optimal performance. Its compact size makes it ideal for desktops with limited space while also being Rack-mountable, convenient and safe. Dynamic LED lights provide real-time work status display and basic fault diagnosis.

## Beheerfuncties

Quality of Service (QoS)	Ja
Switch-laag	12
Web-gebaseerd management	Ja

# Beveiliging

# Data-uitwisseling

Jumbo Frames ondersteuning	Ja
MAC-adrestabel	8192 entries
Packet buffergeheugen	250 MB
Store-and-forward	Ja
Throughput	7,4 Mpps

# Design

Certificering	FCC, CE, RoHS
Kleur van het product	Zwart
LED-indicatoren	Ja

## Eisen aan de omgeving

Luchtvochtigheid bij opslag	5 - 90 procent
Relatieve luchtvochtigheid, in bedrijf	10 - 90 procent
Temperatuur bij opslag	-40 - 70 °C

Temperatuur, in bedrijf	0 - 40 °C
Netwerk	
Netwerk	
10G support	Nee
Aantal VLANs	32
Auto MDI/MDI-X	Ja
Datastroombeheer	Ja
Koperen ethemetbekabelingstechnologie	1000BASE-T,100BASE-TX,10BASE-T
Netwerkstandaard	IEEE 802.1p,IEEE 802.1Q,IEEE 802.3,IEEE 802.3ab,IEEE 802.3u,IEEE 802.3x
Port mirroring	Ja
Verbindingsaggregatie	Ja
VLAN=ondersteuning	Ja
Poorten & interfaces	
Aantal basis-switching RJ-45 Ethernet-poorten	5
Aantal Gigabit Ethernet (koper)-poorten	5
Type basis-switching RJ-45 Ethernet-poorten	Gigabit Ethernet (10/100/1000)
Power over Ethernet (PoE)	
1 ower over Emerica (1 oE)	
Power over Ethernet (PoE)	Nee
` '	
Prestatie	
Compatibele besturingssystemen	Microsoft Windows XP, Vista Windows 7, Windows 8, MAC OS, NetWare, UNIX / Linux
Verpakking	
Snelstartgids	Ja