

# TP-Link Archer MR600 AC1200 Wireless Dual Band 4G LTE Router



**Code:**  
WIRTP5320483

**Vendor code:**  
Archer MR600

**EAN code:**  
6935364088088

Archer MR600 - 4G+ Cat6 AC1200 Wireless Dual Band Gigabit Router

**Enjoy 4G+ Speed Sharing Everywhere** 4G+ Cat6 AC1200 Wireless Dual Band Gigabit Router

### **Boost Your 4G+ Speed**

Supports the 4G+ Cat6, which used Carrier Aggregation technology to boost the data speeds of up to 300 Mbps. Plug your SIM card and enjoy HD movies without interruption, downloading files in seconds, and smooth online gaming.

### **Fully Gigabit Ports for Consummate Connectivity**

Fully gigabit Ethernet ports provide warp speeds and reliable connections for high-intensive wired devices such as your smart TV, game console, NAS, and more.

### **Wi-Fi Where You Need It**

Enjoy unmatched convenience and versatility. Tested in the field for years to ensure universal compatibility with 2

advanced LTE antennas to deliver a smooth connection. Simply plug in a micro SIM card and power on this elegant piece of technology to utilize fast and stable Wi-Fi, whether you're at home or working remote.

### Got SIM Card?

Then Plug and Play! With an integrated 4G+ modem and a built-in SIM card slot, all you need to do is insert a micro SIM card and turn on the Router. Enjoying fast, stable Wi-Fi on a 4G+ network has never been easier.

### Reliable Access for Up to 64 Devices Simultaneously

Easily share a 3G/4G connection with up to 64 wireless devices, such as phones, tablets, and laptops, at the same time. 4 LAN ports stand ready to provide internet for wired devices like desktop computers.

### Easy Setup and Management

Set up the Archer MR600 in minutes thanks to its intuitive web interface and the powerful Tether app. Tether also lets you manage its network settings from any Android or iOS device, including parental controls and access control.

### Antenne

Afneembare antennes	Ja
Antennas quantity	2
Soort antenne	Extern

### Beheerfuncties

Reset button	Ja
WPS Push Button Security	Ja

### Beveiliging

DMZ support	Ja
DoS aanval preventie	Ja
Filtratie	Ja
Firewall	Ja
Firewall	Domain Filter, IP, MAC Address Binding
IP-adresfilter	Ja
Ondersteunde beveiligingsalgoritmen	64-bit WEP, 128-bit WEP, WPA, WPA-PSK, WPA2, WPA2-PSK
Stateful Packet Inspection (SPI)	Ja

### Design

Kleur van het product	Zwart
LED-indicatoren	LAN, Stroom, WLAN
Ophangstelsel voor aan de muur	Nee
Producttype	Router om neer te zetten

## Draadloos LAN

Wi-Fi-standaarden	802.11a,802.11b,802.11g,Wi-Fi 4 (802.11n),Wi-Fi 5 (802.11ac)
Wifi-band	Dual-band (2.4 GHz / 5 GHz)
Wifi-standaard	Wi-Fi 5 (802.11ac)
WLAN gegevensoverdrachtsnelheid (eerste band)	300 Mbit/s
WLAN gegevensoverdrachtsnelheid (tweede band)	867 Mbit/s

## Eisen aan de omgeving

Luchtvochtigheid bij opslag	5 - 90 procent
Relatieve luchtvochtigheid, in bedrijf	10 - 90 procent
Temperatuur bij opslag	-40 - 70 °C
Temperatuur, in bedrijf	0 - 40 °C

## Energie

AC invoer frequentie	50/60 Hz
AC invoer voltage	100 - 240 V
Output current	1,5 A
Spanning	12 V
Type stroombron	AC,DC

## Gewicht en omvang

Breedte	229 mm
Diepte	160 mm
Hoogte	37 mm

## Kenmerken

Certificering	CE, RoHS
---------------	----------

## Minimale systeemeisen

Ondersteunt Linux	Ja
Ondersteunt Mac-besturingssysteem	Ja
Ondersteunt Windows	Ja

## Mobiel netwerken

3G	Ja
3G standaarden	HSPA,HSPA+,UMTS
4G	Ja
4G frequentie ondersteund	700,800,850,900,1800,2100,2300,2500,2600 MHz
4G standaard	LTE

UMTS bands ondersteund	850,900,2100 MHz
------------------------	------------------

## Netwerk

Dynamic DNS (DDNS)	Ja
Ethernet LAN	Ja
Ethernet LAN, data-overdrachtsnelheden	10,100,1000 Mbit/s
Gevoeligheid ontvanger	5 GHz: 11a 54M: -74 dBm\11ac HT20: -66 dBm\11ac HT40: -63 dBm\11ac HT80: -59 dBm\11n HT20: -73 dBm\11n HT40: -70 dBm\2.4 GHz: 11g 54M: -74 dBm\11n HT20: -72 dBm\11n HT40: -69 dBm
Interfacetype Ethernet LAN	Gigabit Ethernet
Netwerkstandaard	IEEE 802.11a,IEEE 802.11ac,IEEE 802.11b,IEEE 802.11g,IEEE 802.11n
Port forwarding	Ja
VPN eigenschappen	PPTP VPN, IPSec VPN, OpenVPN

## Poorten & interfaces

Aansluiting voor netstroomadapter	Ja
Aantal Ethernet LAN (RJ-45)-poorten	4
Geheugenkaart slot(s)	Nee
USB-poort	Nee

## Protocollen

DHCP client	Ja
Ondersteunde netwerkprotocollen	IPv4, IPv6
Routing protocols	IP
Universal Plug and Play (UPnP)	Ja

## Verpakking

Aantal inbegrepen producten	1 stuk(s)
Inclusief AC-adapter	Ja
Meegeleverde kabels	LAN (RJ-45)
Snelle installatiehandleiding	Ja
Type verpakking	Doos

## WAN-verbinding

3G/4G USB modem compatibiliteit	Ja
Duale SIM support	Nee
Ethernet WAN	Ja
SIM-kaartsleuf	Ja
Type WAN-aansluiting	RJ-45