

## TP-Link AC1750 Range Extender with External Ant



**Code:**  
WAPTP3471674

**Vendor code:**  
RE450

**EAN code:**  
6935364092382

IEEE802.11ac/n/g/b, Ethernet, 2.4 - 5 GHz

### **Boost Your Wi-Fi Coverage Up to 10,000 sq ft**

Tired of Wi-Fi “dead zones”? The TP-LINK AC1750 Wi-Fi Range Extender connects to your router wirelessly, strengthening and expanding its signal into areas it can’t reach on its own. The device also reduces signal interference to ensure reliable Wi-Fi coverage throughout your home or office.

### **Super-Fast Speed Next Generation AC Wi-Fi**

TP-LINK’s RE450 comes with next generation 802.11AC Wi-Fi technology, it’s 3 times faster than the standard 802.11n speeds. The RE450 delivers fast speeds of dual band Wi-Fi up to 1750 Mbps, providing reliable connections for bandwidth-intensive tasks like HD/4K streaming, lag free gaming, large file downloads.

### **Super-Fast Speed Next Generation AC Wi-Fi**

TP-LINK’s RE450 comes with next generation 802.11AC Wi-Fi technology, it’s 3 times faster than the standard 802.11n speeds. The RE450 delivers fast speeds of dual band Wi-Fi up to 1750 Mbps, providing reliable connections for bandwidth-intensive tasks like HD/4K streaming, lag free gaming, large file downloads.

## Easy Installation & Quick Position

### Easy Installation with RE Button

The extender RE450 works with any standard wireless router. Instantly connect the RE450 to a router by pressing the extender's RE button followed by the router's WPS button (if available). Once connected with an existing router, you can take RE450 to an ideal place, no more further configurations.

### Quick Positioning with Intelligent Signal Indicator

The Intelligent signal light can help to find the best location to place the extender.

### High Speed Mode

High Speed mode maximizes overall performance by combining the bandwidth of both the 5GHz and 2.4GHz channels to create a lightning-fast connection with one band sending data and the other receiving it.

## Antenne

Antennas quantity	3
-------------------	---

## Design

Certificering	CE, FCC, RoHS
Kleur van het product	Wit
LED-indicatoren	Ja
RoHS compliance	Ja

## Eisen aan de omgeving

Luchtvochtigheid bij opslag	5 - 90 procent
Relatieve luchtvochtigheid, in bedrijf	10 - 90 procent
Temperatuur bij opslag	-40 - 70 °C
Temperatuur, in bedrijf	0 - 30 °C

## Energie

Vermogensverbruik (max)	9 W
-------------------------	-----

## Gewicht en omvang

Breedte	163 mm
Diepte	76,4 mm
Hoogte	66,5 mm

## Inhoud van de verpakking

Meegeleverde kabels	LAN (RJ-45)
Snelstartgids	Ja

## Netwerk

Bekabelingstechnologie	10/100/1000Base-T(X)
Draadloos LAN data-overdrachtsnelheid (max)	1300 Mbit/s
Netwerkstandaard	IEEE 802.11ac,IEEE 802.11b,IEEE 802.11g,IEEE 802.11n
Ondersteunde beveiligingsalgoritmen	128-bit WEP,64-bit WEP,WPA-PSK,WPA2-PSK
Wi-Fi	Ja
Wi-Fi-standaarden	Wi-Fi 5 (802.11ac),802.11b,802.11g,Wi-Fi 4 (802.11n)

## Poorten & interfaces

Aantal Ethernet LAN (RJ-45)-poorten	1
-------------------------------------	---

## Prestatie

Ondersteunt Linux	Ja
Ondersteunt Mac-besturingssysteem	Ja
Ondersteunt Windows	Ja
Soort	Netwerkrepeater

## Verpakking

Breedte verpakking	202 mm
Diepte verpakking	125 mm
Hoogte verpakking	86 mm