

## Antec EA550G Pro



**Code:**  
PSUAN4541038

**Vendor code:**  
0-761345-11614-5

**EAN code:**  
761345116145

550 W, 100 - 240 V, 1 x 24-pin, 1 x 4+4-pin, 2 x 6+2-pin, 5 x Molex, 5 x SATA, 1 x Floppy, Black

Antec's EarthWatts GOLD PRO is one of the most efficient PSU series ever created. With an 80 PLUS® GOLD rating, one of the highest efficiency marks for power supplies, this PSU achieves up to 91% efficiency and gives you savings unheard of from other power supplies. By using the EarthWatts GOLD PRO, you can reduce your electricity bill up to 20%. A 3 year Antec Quality warranty, hybrid modular cabling, a whisper-quiet 120mm fan controlled by Antec's renowned Thermal Manager and CircuitShield™ Industrial Grade protection make EarthWatts GOLD PRO one of the best choices available. Get the power you need, save money and help protect the environment with Antec's EarthWatts GOLD PRO!

- Guaranteed 650W of Continuous Power from Antec
- 4 PCI-E connectors for multiple GPU support
- Heavy-duty Caps, high-performance capacitors ensure tightest DC stability and regulation
- 92.3% +12V, Output for maximum CPU & GPU support

### Certificaten

80 PLUS certificatie  
Certificering  
RoHS compliance

80 PLUS Gold  
cTUVus, CB, CE, FCC, TÜV, CCC  
Ja

### Design

Kleur van het product

Zwart

## Eisen aan de omgeving

Temperatuur, in bedrijf	0 - 40 °C
-------------------------	-----------

## Energie

AC invoer frequentie	50 - 60
AC invoer voltage	100 - 240
Efficiëntie	91 procent
Gecombineerd vermogen (+12V)	504 W
Gecombineerd vermogen (+3.3V)	110 W
Gecombineerd vermogen (+5V)	110 W
Gecombineerd vermogen (-12V)	6 W
Gecombineerd vermogen(+5Vsb)	15 W
Max huidige output (+3.3V)	20 A
Max huidige output (+5V)	20 A
Max huidige output (+5Vsb)	3 A
Max huidige output (-12V)	0,5 A
Max huidige output(+12V)	42 A
Power Factor Correctie (PFC) type	Actief
Totaal vermogen	550 W

## Gewicht en omvang

Breedte	165 mm
Diepte	150 mm
Gewicht	2,21 kg
Hoogte	86 mm

## Koeling

Ventilator diameter	12 cm
---------------------	-------

## Poorten & interfaces

Aansluiting voor diskettestation	Ja
Aantal SATA power connectors	5
ATX Power connector (24-pin)	Ja
CPU power connector (4+4 pin)	Ja
Floppy drive power connector	1
Motherboard power connector	24-pin ATX
PCI Express power connectors (6+2 pin)	2
Peripheral (Molex) power connectors (4-pin)	5

## Prestatie

Bedoeld voor	PC
--------------	----

Vormfactor van de voeding (PSU)

ATX