

## Antec Case/New Solution NSK 3100-EU



**Code:**  
CASAN2896478

**Vendor code:**  
0-761345-93100-7

**EAN code:**  
761345931007

NSK3100, 0.7mm SGCC Steel, 2.5"/3.5"/5.25", USB 3.0, Micro-ATX

Like its award winning predecessor, the NSK3100 was designed to compliment any home or office with its black matte exterior and sleek front bezel with indirect intake vents. In addition to its striking appearance, the NSK3100 is constructed of SECC steel 40% thicker than competitors in its class. A balance of versatility and durability is achieved by integrating Antec's proprietary Quiet Computing™ technology with solid build quality and superior components. The NSK Series 3100 case supports both Micro ATX and mini ITX motherboards and has ample space for liquid CPU cooling, two 5.25" drives, two 3.5" HDDs, and one 2.5" SSD. It contains two fan mounting points with room for four expansion slots. Finally, the front I/O ports include two USB 3.0s and audio sockets.

### Features:

- Sturdy, 0.7 SGCC Steel- TAC 2.0 Compliant- Six Drive Bays- 2 x External 5.25" drive bays- 1 x External 3.5" drive bay- 2 x Internal 3.5" drive bays / 1 x 3.5, 1 x 2.5- 1 x Internal 2.5" drive bay- Cooling System:- 1 x front 80 mm fan (Optional)- 1 x rear 92 mm fan (Included)- Front Ports:- 2 x USB 3.0- Audio In/Out- 4 expansion slots- Maximum graphics card size: 12.5" (317.5 mm)- Motherboards: microATX, Mini-ITX- Top-mounted PSU- Unit Dimensions:- 14.2" (H) x 7.1" (W) x 16.2" (D)- 360 mm (H) x 180 mm (W) x 411 mm (D)- Net Weight: 14.9 lbs / 6.8 kg- Gross Weight: 16.5 lbs / 7.5 kg

## Design

|                                    |                    |
|------------------------------------|--------------------|
| Aantal 2.5" bays                   | 1                  |
| Aantal 3.5" bays                   | 3                  |
| Aantal 5.25" bays                  | 2                  |
| Aantal interne 3.5" baaien         | 2                  |
| Aantal uitbreidingsleuven          | 4                  |
| Certificering                      | RoHS               |
| Dikte van materiaal                | 0,7 mm             |
| Ingebouwde luidsprekers            | Nee                |
| Kleur van het product              | Zwart              |
| Materiaal                          | SECC, SGCC, Staal  |
| Maximum grafische kaart lengte     | 31,8 cm            |
| Soort                              | PC                 |
| Supported motherboard form factors | Micro-ATX,Mini-ITX |
| Vormfactor                         | Midi-Toren         |
| Zijraam                            | Nee                |

## Gewicht en omvang

|         |         |
|---------|---------|
| Breedte | 180 mm  |
| Diepte  | 411 mm  |
| Gewicht | 14,9 kg |
| Hoogte  | 360 mm  |

## Koeling

|   |          |
|---|----------|
| Achterkant ventilators ondersteunende diameters | 92 mm    |
| Geïnstalleerde ventilators achterkant           | 1x 92 mm |
| Maximaal aantal ventilators achterkant          | 1        |
| Maximale aantal ventilators voorkant            | 1        |
| Voorste ventilators ondersteunende diameters    | 80 mm    |

## Opslagmedia

|                                 |          |
|---------------------------------|----------|
| Supported hard disk drive sizes | 2.5,3.5" |
|---------------------------------|----------|

## Poorten & interfaces

|   |    |
|---|----|
| Aantal poorten USB 3.0 (3.1 Gen 1) Type A | 2  |
| Audio-ingangen                            | Ja |
| Audio-uitgang                             | Ja |

## Power voorraad

|                            |       |
|----------------------------|-------|
| Vermogenstoevoer inclusief | Nee   |
| Vermogenstoevoer locatie   | Boven |

Verpakking

Gewicht verpakking

16,5 kg