Antec Case/New Solution NSK 4100-EU

Code:	**Vendor code**:	**EAN code**:
CASAN2896480	0-761345-94480-9	761345944809

NSK4100, SGCC Steel, 2.5"/3.5"/5.25", USB 3.0, ATX
The NSK4100 builds upon the legacy of its award winning predecessor and stays true to the New Solution Series commitment of providing great value. It also comes with an effective cooling design which includes one exhaust fan and two additional fan mounts. Finally, this case is covered by Antec's AQ3 three-year warranty for total peace of mind.

Quiet Computing

The NSK4100 is quiet, understated, and very practical - making it the ideal choice for any corporate or home environments

Construction

It supports Standard ATX, Micro ATX and Mini ITX motherboards and has a matte black front bezel that creates an elegant, professional appearance. The NSK4100 features cable management and superior expandability to organize a clean, powerful build. It is constructed of sturdy SGCC Steel to sustain multiple upgrades and fits graphics cards up to 11.0" (280mm).

Design

Aantal 2.5" bays	1
Aantal 3.5" bays	7
Aantal 5.25" bays	3
Aantal interne 3.5" baaien	6
Aantal uitbreidingssleuven	7
Certificering	RoHS
Ingebouwde luidsprekers	Nee
Kleur van het product	Zwart
Materiaal	SECC, SGCC, Staal
Maximum grafische kaart lengte	28 cm
Soort	PC
Supported motherboard form factors	ATX,Micro ATX,Mini-ITX
Vormfactor	Midi-Toren
Zijraam	Nee

Gewicht en omvang

Breedte	185 mm
Diepte	475,8 mm
Dikte van materiaal	0,6 mm
Gewicht	11,4 kg
Hoogte	408 mm

Koeling

Achterkant ventilators ondersteunende diameters	120 mm
Geïnstalleerde ventilators achterkant	1x 120 mm
Maximaal aantal ventilators achterkant	1
Maximaal aantal ventilators zijkant	1
Maximale aantal ventilators voorkant	1
Voorste ventilators ondersteunende diameters	80,90,120 mm
Zijkant ventilators ondersteunende diameters	120 mm

Opslagmedia

Ondersteunde HDD-grootte s	2.5,3.5"

Poorten & interfaces

Aantal poorten USB 3.2 Gen 1 (3.1 Gen 1) Type A	2
Audio-ingangen	Ja
Audio-uitgang	Ja

Power voorraad

Vermogenstoevoer inclusief	Nee
Vermogenstoevoer locatie	Boven

Verpakking

Gewicht verpakking	13 kg